A011 Perspectives A050 Building Code Review A051 Limiting Distance

Survey & Project Data A100

Site Plan A101

Floor Plan - Level 1 - Assemblies A121 A122 Floor Plan - Level 2 - Assemblies A123 Floor Plan - Level 3 - Assemblies A124 Floor Plan - Level 4 - Assemblies A125 Floor Plan - Level 5 - Assemblies

A123 Floor Plan - Level 6

A128 Roof Plan - Lower - Finished

A200 Elevations A201 Elevations **Building Sections** A300 **Building Sections** A301 A402 Detail Plan - Bike Room

Context Elevation & Shadow Study A500 Details - Level 3-6 - Envelope - Balcony A506

Landscape

L0.00 COVER

LANDSCAPE MATERIALS L1.01


LANDSCAPE MATERIALS L2 & ROOF L1.02 L2.00 TREE REMOVAL, RETENTION &

REPLACEMENT PLAN PLANTING PLAN - BASE L3.01

PLANTING PLAN - L2 & ROOF BASE L3.02

Civil

PRELIMINARY SERVICING C1





PROJECT CONTACTS

OWNER

Jawl Residential Ltd. 3374 Tennyson Ave. Victoria BC, 250.940.6861

Contact David Jawl djawl@jawlresidential.com **ARCHITECT**

Cascadia Architects Inc. 101-804 Broughton Street Victoria, BC 250.590.3223

Gregory Damant, Architect AIBC greg@cascadiaarchitects.ca

ELECTRICAL ENGINEER

300-1815 Blanshard Street

Bal.Klear@AESengr.com

AES Engineering

Bal Klear, Principal

Victoria, BC 250.381.6121 LANDSCAPE ARCHITECT

Murdoch de Greeff Inc. 200-524 Culduthel Road Victoria, BC 250.412.2891

Scott Murdoch, Landscape Architect scott@mdidesign.ca

STRUCTURAL ENGINEER **CIVIL ENGINEER**

J.E. Anderson & Associates 4212 Glanford Avenue Victoria, BC 250.727.2214

Ross Tuck, P.Eng Anthony El-Araj, P.Eng., Struct. Eng., rtuck@jeanderson.com PE,SE, LEED® AP

GEOTECHNICAL

Engineers

Victoria, BC 604.734.8822

101-19 Dallas Road

Geopacific Consultants 3351 Douglas Street Victoria, BC 604.439.0922 x 247

Glotman Simpson Consulting

aelaraj@glotmansimpson.com

James Carson, B.A.Sc.,EIT JCarson@geopacific.ca

MECHANICAL ENGINEER

m3 mechanical consultants inc 501-1803 Douglas Street Victoria, BC 250.940.2258

Christer Blom P. Eng. Principal christerblom@m3mech.ca

ENERGY MODELLING

FOCAL ENGINEERING 467 John Street Victoria, BC 604.318.3596

Susan MacDougall P.Eng., FEC, LEED AP BD+C, CPHC Principal | Building Performance Engineer susan@focaleng.com

PROJECT LOCATION PLAN




3 Meares Street sode -9 1039-1 ISSUED


000-

















VIEW FROM MEARES ST EAST





VIEW OF SOUTHWEST FACADE





VIEW OF SOUTH FACADE




























VIEW OF ROOFTOP AMENITY



Key Section



Level 1 Code Plan SCALE = 1:250

LEVEL 1

3.4.2.3.(1) b)

= 29.14m

OCCUPANCY: GROUP C - RESIDENTIAL

OCCUPANT LOAD

AREA = 17.85 + 129.90 = 148m² 46m² / PERSON FOR STORAGE GARAGES (BCBC 3.1.17.1) Load = 148m² / 46 = 3.2 = 4 PERSONS

ONE LIVE & WORK UNIT (GROUP C) AREA = 33.61 + 44.86 = 78.47m² 1 BEDROOM x 2 PERSONS/ BEDROOM = 2 PERSONS


ACTUAL DISTANCE BETWEEN EXITS

TOTAL OCCUPANT LOAD = 2 + 4 = 6 PERSONS

MIN. EXIT WIDTH RAMPS, CORRIDORS, PASSAGEWAYS

THE GREATER OF 6.1mm/ PERSON x 6 = 36.6mm OR 1100mm

STAIRS
THE GREATER OF 8mm/ PERSON x 6 = 48mm



3 Level 6 Code Plan

LEVEL 6 FLOOR

OCCUPANCY: GROUP C - RESIDENTIAL

SCALE = 1:250

MIN. SEPARATION BETWEEN TWO EXITS: 9m MAX. TRAVEL DISTANCE PERMITTED: 30m

OCCUPANT LOAD 13 SLEEPING ROOMS x 2 PERSONS/ ROOM = 26 PERSONS

RAMPS, CORRIDORS, PASSAGEWAYS
THE GREATER OF 6.1mm/ PERSON x 26 = 158mm OR 1100mm

STAIRS
THE GREATER OF 8mm/ PERSON x 26 = 208mm OR 1100mm

LEVEL 2, 3, 4, 5 (PER FLOOR)

SCALE = 1:250

OCCUPANCY: GROUP C - RESIDENTIAL

MIN. SEPARATION BETWEEN TWO EXITS: 9m MAX. TRAVEL DISTANCE PERMITTED: 30m

OCCUPANT LOAD


13 SLEEPING ROOMS x 2 PERSONS/ ROOM = 26 PERSONS

MIN. EXIT WIDTH

RAMPS, CORRIDORS, PASSAGEWAYS
THE GREATER OF 6.1mm/ PERSON x 26 = 158mm OR 1100mm

STAIRS
THE GREATER OF 8mm/ PERSON x 26 = 208mm OR 1100mm

NOTE: LEVEL 2 AND LEVEL 5 ARE DESIGNATED CROSSOVER FLOORS IN CONFORMANCE WITH BCBC 2018 3.4.6.18.



Roof Level Code Plan SCALE = 1:250

LEVEL 6 FLOOR

Travel Distance: 15.38 m

Occupancy: GROUP A, Div. 2 - ROOFTOP AMENITIES

MAX. TRAVEL DISTANCE PERMITTED: 25m (3.3.1.5.1.(d))

OCCUPANT LOAD Net Area: 188.407 m² space with non-fixed seats and tables:

0.95 m²/person (BCBC 3.1.17.1) 95.98/0.95 = 198.323157895 (Limiting rooftop amenity access to 60 people)

MIN. EXIT WIDTH

STAIRS
THE GREATER OF 8mm/ PERSON x 60 = 480 mm OR 1100mm (Table 3.4.3.2.-A)

BUILDING CODE ANALYSIS

	GENERAL INFORMATION		
G	PROJECT TYPE	NEW CONSTRUCTION RENOVATION ADDITION	
3	GOVERNING BUILDING CODE	2018 BC BUILDING CODE PART 3	
	MAJOR OCCUPANCIES	A1 A2 A3 A4 B1 B2 C D E F1 F2 F3 V	3.1.2.1
	MULTIPLE MAJOR OCCUPANCIES	YES NO 🗸	3.1.2.
	BUILDING AREA (BCBC 1.4.1)	662 m² (Outside face of Exterior Walls)	1.4.1.2.
	AVG. GRADE (COV ZONING BYLAW 2018)	20.25 m	
	BUILDING HEIGHT (STOREYS, m)	6 STOREYS ABOVE GRADE	1.4.1.2.
		<18 m LEVEL 1 TO LEVEL 6 (15.8m)	3.2.2.50(1)
		0 STOREYS BELOW GRADE	
	EXCEPTIONS TO DETERMINING BUILDING HEIGHT	YES V NO ROOFTOP STAIR AND ELEVATOR LOBBY	3.2.1.1
	HIGH BUILDING	YES NO 🗸	3.2.6.
	FIRE ALARM & DETECTION SYSTEM	YES V NO	3.2.4.
	AUTOMATIC SPRINKLER SYSTEM	YES / NO	3.2.2.18 3.2.5.12
	MEZZANINE(S) / AREA	YES NO 🗸	3.2.8.
	INTERCONNECTED FLOOR SPACE	YES NO 🗸	3.2.8
	NUMBER OF STREETS FACING	1	3.2.2.10
	FIRE DEPARTMENT ACCESS	YES V NO	3.2.5.4.
	ROOF ACCESS	YES / NO	3.2.5.3.
	STANDPIPE SYSTEM	YES V NO	3.2.5.8.
	LIGHTING AND EMERGENCY POWER	YES V NO	3.2.7.4.
	EMERGENCY GENERATOR	YES NO 🗸	3.2.7.8.
	BARRIER-FREE DESIGN	YES V NO ACCESSIBLE ENTRANCE	3.8.2.
_	ALTERNATIVE SOLUTION(S)	YES NO 🗸	3.1.2.

CLASSIFICATION	GROUP C, UP TO 6 STOREYS, SPRINKLERED	3.2.
MAX. BUILDING AREA PERMITTED	MAX 1,500 m ²	3.2.
CONSTRUCTION TYPE PERMITTED	NONCOMBUSTIBLE COMBUSTIBLE	3.2.
FIRE RATINGS AND SEPARATIONS		
VERTICAL FIRE SEPARATIONS (USING HORIZONTAL ASSEMBLIES)	1 HR BETWEEN STORAGE GARAGE & RESIDENTIAL	3.2.
	1 HR FLOORS N/A MEZZANINE 1 HR ROOF	3.2.
LOADBEARING STRUCTURE	F.R.R. NOT LESS THAN SUPPORTED ASSEMBLY	3.2.
BETWEEN SUITES	1 HR	3.3.
BETWEEN SUITES & PUBLIC CORRIDOR	1 HR	3.3.
EXITS	1 HR	3.3.
STORAGE GARAGE FROM OTHER OCCUPANCIES	N/A	3.3.
EXIT ENCLOSURES	1 HR	3.4.
ELEVATOR HOISTWAY	1 HR	3.5.
SERVICE ROOMS (CONTAINING FUEL FIRED APPLICANCES)	1 HR	3.6.
COMBUSTIBLE REFUSE STORAGE	1 HR	3.6.
VERTICAL SERVICE SPACES	1 HR	3.6.
FIREWALL(S)	YES NO 🗸	3.2.3

	1.5 HR	
•••••	2 HR	

SPATIAL SEPARATION LEGEND

---- 0 HR

	ISSUED FOR DDP RESUBMISSION	Sept. 26, 2025
i	ISSUED FOR BP RESUBMISSION #2	Feb. 20, 2025
	ISSUED FOR TENDER	Sept. 27, 2024
	Issued for BP Resubmission	May 16, 2024
	Issued for Building Permit	Feb. 09, 2024
	Rezoning/DP Rev1	Mar 1, 2023
	Rezoning/DP	July 7, 2022
NO.	DESCRIPTION	DATE



CASCADIA ARCHITECTS INC


Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express



Jawl Residential Ltd.

Building Code Review

September 26, 2025 Project # As indicated 2124



Sept. 26, 2025

2025-09-29 4:08:38 PM




North Elevation - LD


SCALE = 1:250



3 Scale = 1:250




2 East Elevaton - LD
SCALE = 1:250




West Elevation - LD

SCALE = 1:250




5 Spatial Separation Keyplan SCALE = 1:250






Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.




Limiting Distance

Date		September 26, 2025
Scale	1 : 250	Project # 2124




A051

2025-09-29 4:08:40 PM







POINT	EXISTING	PROPOSED	DISTANCE BE	ETWEEN POINTS	AVE. OF POINTS
Α	20.235	20.146	POINT A-B	31.724	639.98
В	20.138	20.192	POINT B-C	1.908	38.45
С	20.162	20.200	POINT C-D	2.295	46.28
D	20.173	20.200	POINT D-I	10.905	220.08
E	REMOVED				
F	REMOVED				
G	REMOVED				
Н	REMOVED				
ı	20.280	20.190	POINT I-J	1.077	21.75
J	20.258	20.200	POINT J-K	1.397	28.22
К	20.269	20.200	POINT K-L	4.651	93.78
L	20.312	20.127	POINT L-M	9.464	191.97
М	20.442	20.127	POINT M-N	22.600	462.36
N	20.475	20.127	POINT N-O	11.483	233.54
0	20.369	20.200	POINT O-A	19.115	385.61
			TOTAL	116.62	2362.02
			AVERAGE (GRADE = 2362.02 /	116.62 = 20.25



2 Average Grade Points Key Plan SCALE = 1:250




3 Distance Between Points Key Plan
SCALE = 1:500



Site Coverage

SCALE = 1:500



Open Site Space

SCALE = 1:500

MUNICIPALITY	CITY OF VICTORIA
MUNICIPAL ADDRESS	1039, 1043 MEARES STREET, VICTORIA BC
LEGAL DESCRIPTION	LOT 1571,1570, VICTORIA CITY
PROJECT DESCRIPTION	- 6 STOREY BUILDING - ROOFTOP AMENITY - SURFACE PARKING

PROJECT INFORMATION

ZONE (EXISTING)	R3-1	
PROPOSED ZONE	UNKNOWN	
SITE AREA (m²)	1,352m²	
TOTAL FLOOR AREA (m²)	3,365m²	
FLOOR SPACE RATIO	2.49 : 1	
SITE COVERAGE (%)	74.3%	
OPEN SITE SPACE (%)	14.3%	
HEIGHT (m)	21.94m	
NUMBER OF STOREYS	6	
	REQUIRED	PROVIDED
PARKING STALLS (#) ON SITE	46	22 (2 Accessible)
BICYCLE PARKING (#) SHORT TERM	6	8
BICYCLE PARKING (#) LONG TERM	60	82

BUILDING SETBACKS (m)	ALLOWED	PROVIDED	
FRONT YARD	1.950m	1.969m	REFER TO LEVEL 2 FLOOR PLAN, SHEET
REAR YARD (TO LEVEL 2 DECK)	3.215m	3.419m	A122, FOR SETBACK DIMENSIONS
REAR YARD (TO BUILDING FACE LVL 2-6)	9.630m	9.811m	M M M M
SIDE YARD (W-TO COLUMN FACE)	0.810m (W/ 0.300m ALLOWABLE PROJECTION)	0.810m (W/ 0.296m PROJECTION)	18
SIDE YARD (W-TO BUILDING FACE LVL 2-6)	5.090m	5.168m	
SIDE YARD (E)	1.805m	1.897m	
		•	•

17

RESIDENTIAL USE DETAILS	
TOTAL NUMBER OF UNITS	50
UNIT TYPE	1 BD (24), STUDIO (9)
	2 BD (16), LIVE/WORK (1)
GROUND-ORIENTATED UNITS	1
MINIMUM UNIT FLOOR AREA (m²)	30.12m ²
TOTAL RESIDENTIAL FLOOR AREA (m²)	2,753.21m ²

6	ISSUED FOR DDP RESUBMISSION	Sept. 26, 202
5	ISSUED FOR BP RESUBMISSION #2	Feb. 20, 2025
4	ISSUED FOR DDP	Feb. 20, 2025
2	ISSUED FOR TENDER	Sept. 27, 202
1	Issued for BP Resubmission	May 16, 2024
	Issued for Building Permit	Feb. 09, 2024
	Rezoning/DP Rev1	Mar 1, 2023
	Rezoning/DP	July 7, 2022
NO.	DESCRIPTION	DATE



CASCADIA ARCHITECTS INC


Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street

Jawl Residential Ltd.


Survey & Project Data


September 26, 2025



2124

2025-09-29 4:08:42 PM





GENERAL NOTES

- 1. ALL DIMENSIONS ARE TO GRIDLINES, FACE OF CONCRETE, FACE OF EXTERIOR SHEATHING, FACE OF FRAMING, UNLESS NOTED OTHERWISE
- 2. ALL OPENING DIMENSIONS, WHEN SHOWN, ARE TO HEEL DEPTH OF FRAME, OR CENTER OF UNIT.
- REFER GLAZING SCHEDULE. 3. DOOR DIMENSIONS GIVEN ARE CLEAR SLAB WIDTHS, EXCLUSIVE OF FRAMES. REFER DOOR SCHEDULE.

Area Schedule (Gross Building)	
Level Area	
Ground Floor	165.35 m²
Level 2	626.95 m ²
Level 3	626.95 m²
Level 4	626.95 m²
Level 5	626.95 m²
Level 6	626.96 m²
Roof level	37.51 m²

3337.60 m²

Parking Calculation Breakdown

Grand total: 7

Bike Parking Calculation Residential Long Term 1 space per unit > 45m2 10 units x 1 = 10 spaces

1.25 space per unit < 45m2

Short-term

6 spaces

10 units x 0.65 = 6.5 spaces 0.80 space per unit < 45m2, > 70m2 35 units x 0.80 = 28 spaces

Parking Calculation
Core Area Residential

0.65 space per unit > 45m2

1.2 space per unit < 70m2

5 units x 1.2 = 6 spaces

40 units x 1.25 = 50 spaces Commercial Long Term 1 space per 200m2 floor area

82 Spaces Provided

(74 Long-term, 8 Short-term)

33.61 sqm/200 sqm = 0.16Visitor 0.1 space per unit

50 units x 0.1 = 5 spaces Commercial Personal Service TOTAL = 66 spaces Required 1 space per 50sqm Floor Area

> 33.61 / 50 = 0.67 TOTAL = 46 spaces Required 22 Spaces Provided (2 Accessible Stalls

1 Visitor stall)

WOOD FRAME WALL WOOD FRAME BEARING WALL: 1hr FRR WOOD FRAME SHEAR / BEARING WALL: 1hr FRR ----- 1.5 HR WOOD FRAME SANITARY CHASE 2 HR

> ISSUED FOR DDP RESUBMISSION Sept. 26, 2025 ISSUED FOR BP RESUBMISSION #2 Feb. 20, 2025 ISSUED FOR DDP Feb. 20, 2025 ISSUED FOR TENDER Sept. 27, 2024 Issued for BP Resubmission May 16, 2024 Feb. 09, 2024 Issued for Building Permit Rezoning/DP Rev3 August 3, 2023 Rezoning/DP Rev1 Mar 1, 2023 July 7, 2022 NO. DESCRIPTION DATE

SPATIAL SEPARATION LEGEND

••••• 0 HR

PB ADO PUSH BAR PD PLANTER DRAIN BD BI-LEVEL DRAIN RD ROOF DRAIN

FIRE ALARM PULL STATION

CB CATCH BASIN TD TRENCH DRAIN

(P1) ASSEMBLY TAG

H20 HOSE BIBB

NOTATION LEGEND

CONCRETE MASONRY UNIT


REINFORCED CONCRETE: SEE STRUCTURAL

2* DOUBLE GWB THIS SIDE EBB ELECTRIC BASEBOARD HEATER



Copyright reserved. These drawings and the design contained therein or which


may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.



Floor Plan - Level 1 -

Assemblies


September 26, 2025 Project #



Sept. 26, 2025

2025-09-29 4:08:46 PM

2124



2 HR

NOTATION LEGEND

WOOD FRAME WALL

WOOD FRAME BEARING WALL: 1hr FRR

WOOD FRAME SHEAR / BEARING WALL: 1hr FRR

1-W01 GLAZING TAG (UNIT TYPE, ELEVATION, #)

WOOD FRAME SANITARY CHASE

WOOD FRAME WATER RISER / METER

CONCRETE MASONRY UNIT

REINFORCED CONCRETE: SEE STRUCTURAL

301.3 DOOR TAG

ASSEMBLY TAG

H20 HOSE BIBB
FIRE ALARM

F FIRE ALARM PULL STATION

PB ADO PUSH BAR

PD PLANTER DRAIN

BD BI-LEVEL DRAIN

RD ROOF DRAIN

CB CATCH BASIN

TD TRENCH DRAIN

2* DOUBLE GWB THIS SIDE

EBB ELECTRIC BASEBOARD HEATER

5	ISSUED FOR BP RESUBMISSION #2	Feb. 20, 2025
2	ISSUED FOR TENDER	Sept. 27, 2024
1	Issued for BP Resubmission	May 16, 2024
	Issued for Building Permit	Feb. 09, 2024
	Rezoning/DP Rev1	Mar 1, 2023
	Rezoning/DP	July 7, 2022
	Development Tracker	June 3, 2022
NO.	DESCRIPTION	DATE

ISSUED FOR DDP RESUBMISSION Sept. 26, 2025



CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street



Floor Plan - Level 2 - Assemblies

7.00011101100

Scale Scale Project # 2124



2124


Revision

Sept. 26, 2025

Sheet #

A122

2025-09-29 4:08:51 PM



SPATIAL SEPARATION LEGEND ---- 0 HR ----- 1.5 HR

2 HR

NOTATION LEGEND

WOOD FRAME WALL

WOOD FRAME BEARING WALL: 1hr FRR

WOOD FRAME SHEAR / BEARING WALL: 1hr FRR

WOOD FRAME SANITARY CHASE

WOOD FRAME WATER RISER / METER

CONCRETE MASONRY UNIT REINFORCED CONCRETE: SEE STRUCTURAL

301.3 DOOR TAG

ASSEMBLY TAG

(1-W01) GLAZING TAG (UNIT TYPE, ELEVATION, #)

FIRE ALARM PULL STATION

PB ADO PUSH BAR

H20 HOSE BIBB

PD PLANTER DRAIN


BD BI-LEVEL DRAIN

RD ROOF DRAIN CB CATCH BASIN

TD TRENCH DRAIN

2* DOUBLE GWB THIS SIDE

EBB ELECTRIC BASEBOARD HEATER






CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street




Jawl Residential Ltd.

Floor Plan - Level 3 -Assemblies

September 26, 2025

2124 Sept. 26, 2025

2025-09-29 4:08:52 PM



SPATIAL SEPARATION LEGEND ---- 0 HR ----- 1.5 HR

2 HR

NOTATION LEGEND

WOOD FRAME WALL

WOOD FRAME BEARING WALL: 1hr FRR

WOOD FRAME SHEAR / BEARING WALL: 1hr FRR

(1-W01) GLAZING TAG (UNIT TYPE, ELEVATION, #)

WOOD FRAME SANITARY CHASE

WOOD FRAME WATER RISER / METER

CONCRETE MASONRY UNIT

REINFORCED CONCRETE: SEE STRUCTURAL

301.3 DOOR TAG

(P1) ASSEMBLY TAG

H20 HOSE BIBB

FIRE ALARM PULL STATION

PB ADO PUSH BAR

PD PLANTER DRAIN

BD BI-LEVEL DRAIN

RD ROOF DRAIN CB CATCH BASIN

TD TRENCH DRAIN

2* DOUBLE GWB THIS SIDE

EBB ELECTRIC BASEBOARD HEATER


ISSUED FOR DDP RESUBMISSION ISSUED FOR BP RESUBMISSION #2 Feb. 20, 2025 ISSUED FOR TENDER Sept. 27, 2024 May 16, 2024 Issued for BP Resubmission Feb. 09, 2024 DATE Issued for Building Permit DESCRIPTION



CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street




Jawl Residential Ltd.

Floor Plan - Level 4 -Assemblies

September 26, 2025 Project #

2124 Sept. 26, 2025

2025-09-29 4:08:52 PM



Floor Plan - Level 5 - Assemblies

SCALE = 1:100

SPATIAL SEPARATION LEGEND ---- 0 HR ----- 1.5 HR

2 HR

NOTATION LEGEND

WOOD FRAME WALL

WOOD FRAME BEARING WALL: 1hr FRR

WOOD FRAME SHEAR / BEARING WALL: 1hr FRR

WOOD FRAME SANITARY CHASE

WOOD FRAME WATER RISER / METER

CONCRETE MASONRY UNIT

REINFORCED CONCRETE: SEE STRUCTURAL

301.3 DOOR TAG

ASSEMBLY TAG

(1-W01) GLAZING TAG (UNIT TYPE, ELEVATION, #)

FIRE ALARM PULL STATION PB ADO PUSH BAR

PD PLANTER DRAIN

H20 HOSE BIBB

BD BI-LEVEL DRAIN

RD ROOF DRAIN CB CATCH BASIN

TD TRENCH DRAIN

2* DOUBLE GWB THIS SIDE

EBB ELECTRIC BASEBOARD HEATER

ISSUED FOR DDP RESUBMISSION ISSUED FOR BP RESUBMISSION #2 Feb. 20, 2025 ISSUED FOR TENDER May 16, 2024 Issued for BP Resubmission Feb. 09, 2024 DATE Issued for Building Permit DESCRIPTION



CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street



Jawl Residential Ltd.


Floor Plan - Level 5 -Assemblies

September 26, 2025

2124 Sept. 26, 2025



2025-09-29 4:08:53 PM



SPATIAL SEPARATION LEGEND ---- 0 HR ----- 1.5 HR

2 HR

NOTATION LEGEND

WOOD FRAME WALL

WOOD FRAME BEARING WALL: 1hr FRR

WOOD FRAME SHEAR / BEARING WALL: 1hr FRR

WOOD FRAME SANITARY CHASE

WOOD FRAME WATER RISER / METER

CONCRETE MASONRY UNIT

REINFORCED CONCRETE: SEE STRUCTURAL

301.3 DOOR TAG

ASSEMBLY TAG

1-W01 GLAZING TAG (UNIT TYPE, ELEVATION, #)

FIRE ALARM PULL STATION PB ADO PUSH BAR

PD PLANTER DRAIN

H20 HOSE BIBB

BD BI-LEVEL DRAIN

RD ROOF DRAIN CB CATCH BASIN

TD TRENCH DRAIN

2* DOUBLE GWB THIS SIDE

EBB ELECTRIC BASEBOARD HEATER


ISSUED FOR DDP RESUBMISSION Feb. 20, 2025 Sept. 27, 2024 ISSUED FOR BP RESUBMISSION #2 ISSUED FOR TENDER Issued for BP Resubmission Issued for Building Permit Rezoning/DP Rev1 Mar 1, 2023 July 7, 2022 DATE DESCRIPTION



CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street



Jawl Residential Ltd.

September 26, 2025

Floor Plan - Level 6 -


Assemblies

Sept. 26, 2025

Project #

2025-09-29 4:08:54 PM

2124



Roof Plan - Lower - Finished

SCALE = 1:100

GENERAL NOTES

- 1. ALL DIMENSIONS ARE TO GRIDLINES, FACE OF CONCRETE, FACE OF EXTERIOR SHEATHING, FACE OF FRAMING, UNLESS NOTED OTHERWISE
- ALL OPENING DIMENSIONS, WHEN SHOWN, ARE TO HEEL DEPTH OF FRAME, OR CENTER OF UNIT. REFER GLAZING SCHEDULE.
- 3. DOOR DIMENSIONS GIVEN ARE CLEAR SLAB WIDTHS, EXCLUSIVE OF FRAMES. REFER DOOR SCHEDULE.

----- 1.5 HR

2 HR

NOTATION LEGEND

WOOD FRAME WALL

WOOD FRAME BEARING WALL: 1hr FRR

WOOD FRAME SHEAR / BEARING WALL: 1hr FRR

WOOD FRAME SANITARY CHASE

WOOD FRAME WATER RISER / METER

CONCRETE MASONRY UNIT

REINFORCED CONCRETE: SEE STRUCTURAL

301.3 DOOR TAG

ASSEMBLY TAG

(1-W01) GLAZING TAG (UNIT TYPE, ELEVATION, #)

H20 HOSE BIBB

F FIRE ALARM PULL STATION

PB ADO PUSH BARPD PLANTER DRAIN

BD BI-LEVEL DRAIN


RD ROOF DRAIN

CB CATCH BASIN

TD TRENCH DRAIN

2* DOUBLE GWB THIS SIDE

EBB ELECTRIC BASEBOARD HEATER





CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.


1039-1043 Meares Street



Sheet Name

Roof Plan - Lower -Finished

September 26, 2025




212


Revision


Sept. 26, 2025


A128


2025-09-29 4:08:54 PM











CASCADIA ARCHITECTS INC


Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

oject 1039-1043 Meares Street

Jawl Residential Ltd.

Elevations

September 26, 2025



2124

Revision


Sept. 26, 2025

Sheet #

4200

2025-09-29 4:09:05 PM







01. INTEGRATED LOUVRE

02. CUSTOM PATTERN GLASS - SEE DETAILS BELOW

03. POWDER COATED ALUMINUM PANEL

04. CURTAIN WALL/ STOREFRONT GLAZING

05. GLAZING

06. VERTICAL FENCING (CHARCOAL)

07. CEMENTITIOUS PANEL (COLOUR 1) (CERACLAD - ELEMENTS)

08. CEMENTITIOUS PANEL (COLOUR 2) (CERACLAD - CASHMERE SMOOTH)

09. NOT USED

10. FIBER CEMENT PANEL CLADDING (COLOUR TO BE CONFIRMED)

11. ARCHITECTURAL CONCRETE FINISH

12. ALUM. VERTICAL/ HORIZONTAL SUNSHADE (LIGHT GREY)

13. CONCRETE MASONRY BLOCK

14. LANDSCAPE CONC. WALL (1100mm High) WITH CUSTOM PATTERN

15. SOLID PHENOLIC CLADDING PANEL (COLOUR TO BE CONFIRMED)

08



Balcony Glass Frit Patterns

6	ISSUED FOR DDP RESUBMISSION	Sept. 26, 202
5	ISSUED FOR BP RESUBMISSION #2	Feb. 20, 202
4	ISSUED FOR DDP	Feb. 20, 202
2	ISSUED FOR TENDER	Sept. 27, 202
1	Issued for BP Resubmission	May 16, 202
	Issued for Building Permit	Feb. 09, 202
	Rezoning/DP Rev2	June 27, 202
	Rezoning/DP Rev1	Mar 1, 2023
	Rezoning/DP	July 7, 2022
NO.	DESCRIPTION	DATE



CASCADIA ARCHITECTS INC


Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street

Jawl Residential Ltd.


Elevations


September 26, 2025



2124 Sept. 26, 2025

2025-09-29 4:09:15 PM





6	ISSUED FOR DDP RESUBMISSION	Sept. 26, 2025
5	ISSUED FOR BP RESUBMISSION #2	Feb. 20, 2025
2	ISSUED FOR TENDER	Sept. 27, 2024
1	Issued for BP Resubmission	May 16, 2024
	Issued for Building Permit	Feb. 09, 2024
	Rezoning/DP Rev1	Mar 1, 2023
	Rezoning/DP	July 7, 2022
NO.	DESCRIPTION	DATE



CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street

Jawl Residential Ltd.

Building Sections

2124


A300

2025-09-29 4:09:16 PM

September 26, 2025 Project #

Sept. 26, 2025 6

1 NS Section Grid D-, Looking West
SCALE = 1:100



SPATIAL SEPARATION LEGEND ---- 0 HR ----- 1.5 HR 2 HR

6	ISSUED FOR DDP RESUBMISSION	Sept. 26, 2025
5	ISSUED FOR BP RESUBMISSION #2	Feb. 20, 2025
2	ISSUED FOR TENDER	Sept. 27, 2024
1	Issued for BP Resubmission	May 16, 2024
	Issued for Building Permit	Feb. 09, 2024
	Rezoning/DP Rev1	Mar 1, 2023
	Rezoning/DP	July 7, 2022
NO.	DESCRIPTION	DATE




Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street

Jawl Residential Ltd.

Building Sections

September 26, 2025




Project # 2124 Sept. 26, 2025 / 6


A301

2025-09-29 4:09:17 PM

1 EW Section at Grid 4 - Looking North SCALE = 1:100



1 Level 1 - Bike Room Plan
SCALE = 1:50





CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.

1039-1043 Meares Street

Jawl Residential Ltd.

Detail Plan - Bike Room

Project #

Scale 1:

2124


Revision

Sept. 26, 2025

September 26, 2025



2025-09-29 4:09:17 PM




1039-1043 MEARES ST

Meares Street Context

Scale = 1:200




VANCOUVER ST




DESCRIPTION

NO.

Mar 1, 2023 July 7, 2022 June 3, 2022 DATE



Detail - Section - Balcony Door Sill SCALE = 1:5




Detail - Section - L5-L6 Balcony Drains

SCALE = 1:5

Detail - Section - Balcony Guard - Glazing

SCALE = 1:5



Detail - Section - Balcony Guard Wall

MEMBRANE LEGEND

----- SAM: SELF-ADHERED MEMBRANE AIR/ MOISTURE BARRIER/ THRU-WALL FLASHING

----- SAM (VP): SELF-ADHERED MEMBRANE/ VAPOUR PERMEABLE (AIR/ MOISTURE BARRIER)

----- SAM (HT): SELF-ADHERED MEMBRANE - HIGH TEMPERATURE

BUILDING WRAP

----- COLD FLUID APPLIED WATERPROOFING

----- VAPOUR BARRIER

= = = 2 PLY SBS MEMBRANE (INDICATED W/ 2 LINES UNLESS NOTED)

NO.	DESCRIPTION	DATE
	Issued for Building Permit	Feb. 09, 2024
1	Issued for BP Resubmission	May 16, 2024
2	ISSUED FOR TENDER	Sept. 27, 2024
4	ISSUED FOR DDP	Feb. 20, 2025
5	ISSUED FOR BP RESUBMISSION #2	Feb. 20, 2025
6	ISSUED FOR DDP RESUBMISSION	Sept. 26, 2025



CASCADIA ARCHITECTS INC

Copyright reserved. These drawings and the design contained therein or which may be inferred therefrom are, and at all times remain, the exclusive property of Cascadia Architects Inc. Cascadia Architects holds the copyright and ownership in the said drawings, which cannot be used for any purpose without the express written consent of Cascadia Architects.


1039-1043 Meares Street

Jawl Residential Ltd.

Sheet Name

Details - Level-3-6 -Envelope - Balcony

Scale Scale As indicated Project #



Revision Sept. 26, 2025

A506


2025-09-29 4:09:17 PM


JAWL RESIDENTIAL

MEARES DEVELOPMENT

Victoria, BC

Landscape Sheets				
Sheet No.	Sheet Title			
L0.00	Cover			
L0.01	General Information Sheet			
L1.01	Landscape Materials			
L1.02	Landscape Materials L2 & Roof			
L2.01	Landscape Grading and Drainage			
L2.02	Landscape Grading and Drainage L2 & Roof			
L3.01	Planting Plan			
L3.02	Planting Plan - L2 & Roof			
L4.01	Landscape Details: Paving			
L4.02	Landscape Details: Planting & Planters			





NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date





Jawl Residential 3374 Tennyson Ave

3374 Tennyson Ave. Victoria, BC

1039-1043 Meares St 1039-1043 Meares St

sheet title

Victoria, BC

Cover

project no.	122.11
scale	1: 150 @ 24"x36"
drawn by	MDI
checked by	SM/JD
revision no.	sheet no.
12	L0.00

GENERAL NOTES

Documents and Specifications: b) Canadian Landscape Standards, Current Edition (CLS-CE); and c) All applicable local, provincial, and federal codes, ordinances, and regulations.

1. Work performed shall comply with the following: a) These General Notes, and Construction

- 2. Contractor shall be responsible for verifying all existing site conditions including location of all property lines, existing structures, utilities, and buried infrastructure. Verify all field conditions prior to commencing work.
- 3. Contractor is responsible for determining means and methods for construction. These drawings may indicate a limit of proposed improvements or limit of work for the delineation of expected extents of disturbance. Should limits of disturbance exceed boundaries defined in drawings, contractor shall contact Landscape Architect for resolution.
- 4. Contractor is responsible for repairing all work disturbed by construction outside of limit lines defined on drawings or through their means and methods to a condition better than or equal to the existing conditions prior to commencement of construction at no additional cost to the owner.
- 5. Contractor is responsible for maintaining a complete up-to-date set of drawings and specifications at the construction site and ensuring the documents are readily available for review by the Landscape Architect and governing agency.
- 6. Contractor is responsible for coordination of all designs, drawings, specifications and other documents or publications upon which construction is based. Any discrepencies with the drawings and/or specifications and site conditions shall be brought to the attention of the Landscape Architect, prior to
- 7. The drawings and specifications are complementary to one another and implied to correspond with one another. Any discrepencies should be brought to the attention of the Landscape Architect for resolution immediately.
- 8. General Contractor and/or sub-contractors are responsible for all costs related to production and submission to consultant of all landscape as-built information including irrigation.

TREE RETENTION AND REMOVAL NOTES

- 1. Tree protection fencing, for existing trees, to be installed prior to commencement of all site work. Refer to Arborist's plans for location of tree protection fencing, and protection fencing detail.
- 2. Refer to arborist's report for detailed information for existing tree resources.

SITE GRADING AND DRAINAGE NOTES

- 1. All elevations are in meters.
- 2. Refer to Architectural plans, sections and elevations for top of slab elevations. Slab elevations indicated on Landscape drawings are for reference only. Report any discrepancies to consultant for review and response
- 3. All road, public walkway and vehicular drive aisles and parking area elevations indicated on the Landscape drawings are for reference only. Refer to Civil Engineering drawings. Report any discrepancies to consultant for review and response.
- 4. Confirm all existing grades prior to contruction. Report any discrepancies to consultant for review and
- 5. Unless otherwise noted provide a minimum slope of 2% on all hard and soft Landscape areas to ensure positive drainage away from buildings, to rain gardens, or to drainage devices.
- 6. All landscape areas shall not exceed a maximum slope of 3:1 in all instances.
- 7. Upon discovery, contractor to refrain from blasting rock to meet landscape subgrades. Contractor to contact Landscape Architect on how to proceed in each instance.
- <u>IRRIGATION NOTES</u>

- 1. Contractor to provide irrigation system for all planters to current IIABC Standards and Contract
- 2. All specified work to meet the project specifications, and all standards or specifications established in the lastest edition of the Canadian Landscape Standard and IIABC standards.
- 3. Design/build drawings for detailed irrigation plan to be submitted to Contract Administrator in PDF and .dwg formats at least two weeks prior to commencement of irrigation installation
- 4. Utilities Contractor to verify location of all on-site utilities, prior to construction. Restoration of damaged utilities shall be made at the contractor's expense, to the satisfaction of the owner's representatives.
- 5. Refer to electrical drawings for electrical service.
- 6. Controller and backflow prevention device to be located in Mechanical Room, unless otherwise noted.
- Refer to Mechanical drawings for size and location of irrigation service. Contractor to verify pressure and flow prior to installation of irrigation and notify owner's representative in writing if such data adversely affects the operation of the system.
- 8. Sleeves shall be installed at the necessary depths, prior to pavement construction. Sleeving shall extend 300 mm from edge of paving into planting area, and shall have ends marked above grade unless otherwise shown.
- Contractor to field fit irrigation system around existing trees, to limit disturbance to root systems. 10. At various milestones during construction, inspection and testing of components will be required to ensure that the performance of irrigation system meets standards and specifications. Contractor to provide equipment and personnel necessary for performance of inspections and tests. Conduct all inspections and tests in the presence of the contract administrator. Keep work uncovered and accessible until successful completeition of inspection or test.
- 11. Over spray onto hardscape areas to be minimized. Use drip irrigation within small planting areas to avoid overspray.

GROWING MEDIUM NOTES

- . Refer to Landscape Specifications for growing medium properties by soil type. 2. Advise Contract Administrator of sources of growing medium to be utilized 14 days in advance of
- Growing medium properties and handling shall meet CLS-CE (see Section 6 CLS-CE).
- 4. Contractor is responsible for soil analysis and amendment requirements to supply suitable growing medium, as specified by testing agency. Soil analysis and amendment costs shall be included in the price for the work.
- 5. Submit to the Landscape Architect a copy of the soil analysis report from Pacific Soil Analysis Inc. 5-11720 Voyageur Way, Richmond, BC, V6X 3G9. p. 604- 273-8226. The analysis shall be of tests done on the proposed growing medium from stratified samples taken from the supply source. Costs of the initial and all subsequent tests to ensure compliance with the specifications shall be borne by the Contractor.
- 6. Contract Administrator will collect sample of growing medium in place and determine acceptance of material, depth of growing medium and finish grading. Approval of growing medium material subject to soil testing and analysis. Planting is not to occur until finished grades have been approved by Contract Administrator.

SITE LAYOUT NOTES

- 1. Provide layout of all work for approval by Contract Administrator prior to proceeding with work. Requests for site review as required 48 hours in advance of performing any work, unless otherwise
- 2. Layout and verify dimensions prior to construction. Bring discrepancies to the attention of the Contract
- Administrator. 3. Written dimensions take precedence over scale. Do not scale drawings.
- 4. All plan dimensions in metres and all detail dimensions in millimetres, unless otherwise noted.
- 5. Where dimensions are called as 'equal' or 'eq', space referenced items equally, measured to centre

GENERAL PLANTING NOTES 1. Plant quantities on Plans shall take precedence over plant list quantities.

- 2. Provide layout of all work for approval by Contract Administrator prior to proceeding with work.
- 3. Plant material, installation and maintenance to conform to the current edition of the Canadian Landscape Standard.
- 4. Plant quantities and species may change between issuance of DP and Construction due to plant availability and design changes. Substitutions to be approved by Landscape Architect.

ON-SLAB TREE PLANTING NOTES

- 1. For on-slab landscape, a root barrier will be installed to protect exposed water proof membranes. A dimple board (drain mat) will be installed over the root barrier.
- 2. Parkade walls and foundation walls will be protected with a dimple board (drain mat) to convey water
- to the perimeter drain and protect wall from roots.
- 3. A root barrier will be installed between the tree roots and perimeter drain, to minimize tree root interference with the drain, where the follow conditions exist in on-grade planting areas: a)where trees less than 8m tall are located closer than 2m from a parkade or foundation wall; b) where trees more than 8m tall are located closer than 3m from a parkade or foundation wall; and c) where perimeter drains are less than 2m deep.

BOULEVARD PLANTING NOTES

- 1. Boulevard trees have been placed to avoid existing and proposed infrastructure. Trees planted within 1m of an existing underground municipal service will have a root barrier installed between the root ball and the existing infrastructure.
- 2. Boulevard trees will be place a minimum of 1.5m from an above ground municipal service such as fire hydrant, streetlight or driveway.
- 3. Final selection of boulevard trees to be determined through consultation with municipal parks staff. The proposed boulevard trees must comply with the City of Victoria Supplementary Specifications for
- Street Trees and Irrigation Schedule C, Bylaw 12-042, Subdivision Bylaw. 4. Soil volume for boulevard trees to be as follows: 8 cu. m. for small trees, 12 cu. m. for medium trees, and 16 cu. m. for large trees.
- 5. The following tree inspections by City of Victoria Parks staff are required by Schedule C: (1)
- Excavation for tree pits, soil cells and root barrier; (2); Trees prior to planting (parks staff can inspect trees prior to shipping at local nursuries. Photos can be provided from up-island and mainland nursuries. Tree must meet the spec upon delivery); (3) Completed tree planting, installed tree grates, guards, stakes, etc.
- To schedule an inspection please contact Rob Hughes, rhughes@victoria.ca and also copy treepermits@victoria.ca 48 hours prior to the required inspection time.

PAVING NOTES

- 1. Final concrete control joint layout to be confirmed by Landscape Architect prior to installation. Control joints to logically align with edges, corners, and intersections of Landscape and Architectural elements and/or as indicated on plan. Contractor to obtain layout approval by Landscape Architect prior to installation. Contractor to pour concrete pavement in alternating panels as required to achieve control joint design and to prevent cracking.
- Cast in place concrete areas that are subject to vechicular loading shall be structurally reinforced for applicable vehicular loading requirements. See Structural Engineering drawings.

WARRANTY AND MAINTENANCE NOTES

- 1. Contractor is responsible for Maintenance from installation to Acceptance of the work by the Contract Administrator
- 2. Refer to Landscape Specifications for Maintenance Period following Acceptance.
- 3. Landscape installation to carry a 1-year warranty from date of acceptance. This warranty is based on adequate maintenance by the Owner after Acceptance, as determined by the Landscape Architect. The Contractor will not be responsible for plant loss or damage to other products by causes out of the
- Contractor's control, such as vandalism, "acts of God", "excessive wear and tear", or abuse. 4. Contractor is responsible for plant damage, failure and death due to poor delivery, storage and
- handling, and all other installation related aspects up until the End of Warranty period. 5. Plant material, installation and maintenance to conform with the current edition of the Canadian Landscape Standards, and the Contract Specifications

MUNICIPAL IRRIGATION NOTES


- 1. Irrigation systems on City property to conform to City of Victoria Supplementary Specifications for Street Trees and Irrigation Schedule C, Bylaw 12-042, Subdivision Bylaw.
- 2. Irrigation drawings must be submitted to the City of Victoria Parks Division for review and approval 30
- days prior to installation work.
- 3. The following irrigation and sleeving inspections by City of Victoria Parks staff are required by Schedule c: (1) Irrigation sleeving prior to backfilling; (2) Open trench main line and pressure Test; (3) Open trench lateral line; and (4) Irrigation system, controller, coverage test, backflow preventer assembly test report required, backflow assembly to have an inspection tag completed and attached.
- 4. Boulevard tree irrigation system will be maintained and operated by municipality, after it is inspected and approved by municipal staff.
- 5. Irrigation to be installed as per Municipal Specifications, for all boulevard planting areas (unless otherwise indicated).
- 6. Design/build drawings for boulevard irrigation to be submitted to Contract Administrator in PDF and dwg formats, at least two weeks prior to commencement of irrigation installation and will be reviewed.
- by municipal staff. Refer to Civil drawings for location of boulevard irrigation point of connection. Separate water meter and timer/controller, to be provided at point of connection. Timer/controller for boulevard areas must
- be readily accessible to municipal staff. Irrigation will only be required for tree drip loops, not for boulevard grass.
- 9. Please schedule all inspections by contacting Chuck Bass at cbass@victoria.ca and also copy treepermits@victoria.ca and tsherbo@victoria.ca 48 hours prior to the required inspection time.

LINE TYPE LEGEND

details and management strategies).

Property line _____ 3m Site Line Triangle Extent of Roof, above _____

EXISTING PLANT LEGEND (Refer to Arborist Report and Tree Retention & Removal Plan for full




Existing Tree to be retained Onsite qty = 0Offsite (neighbour property) qty = 7



Existing Tree to be removed

Onsite qty = 3 Municipal (boulevard) qty = 2 Removed by adjacent development = 1 Total Removed = 5



Proposed Trees Onsite qty = 12 (Level one: 8. Level two: 6) Municipal (boulevard) qty = 2 Total = 14

GRADING LEGEND


Existing Landscape Grade Civil Grade, provided for reference only



Architectural grade, provided for reference Proposed Landscape Grade TOW Top of Wall

BW Bottom of Wall TOC Top of Curb BS Bottom of Stairs BC Bottom of Curb TP Top of Pool LP Low Point


DRAINAGE LEGEND



Inspection Chamber



Irrigation Point of Connection Proposed Irrigation Point of Connection. Provide water service and electrical conduit to this location. Refer to Mech & Elec Drawings.



Irrigation Sleeve Schedule 40 PVC, dia. shall be min 3x main line diameter, or 2x lateral line diameter. Install irrigation wiring in separate 2" electrical conduit. Extend sleeve 300 mm past edge of hard surface or walls.

6-L4.02



Hose Bib See Mech.

(Shown for reference only - refer to Civil Engineer's drawings). **PROPOSED** Storm drain

UNDERGROUND UTILITIES

Otomi diam	
 Sewer	
 Water	
 Electrical	
 Gas	

Hydro Tel

1.0	PAVEMENTS, RAMPS, C	URBS		
1.1	Concrete - Type 1		Cast in place concrete, broom finish with sawcut joints.	3-L4.01
1.2	Concrete - Type 2		"New Town" paving. Landscape shows control joints, only - refer to civil.	See Civil.
1.3	Unit Paving - On Grade		Belgard Canada, Classic Standard (225mm x 112.5mm x 60mm). Charcoal, running bond pattern.	1-L4.01
1.4	Turfstone		Belgard Canada, c/w structural soil base.	See Civil.
1.5	Gravel Maintenance Edge			5-L4.01
1.6	Structural Soil Cells		Two layers deep. Contractor to provide Shop Drawings	7-L4.01
1.7	Unit Paver on Pedestal - Type 1		610 mm x 610 mm x 20 mm porcelain tile. Supplier: Enmon North Amercia, or approved equivalent. Stack bond on pedestal. Colour: Project Silver	2-L4.01
1.8	Unit Paver on Pedestal - Type 2		Belgard Canada (or approved equivalent) - 'Texada' in color Natural. Stack Bond on pedestal. 610mm x 610mm x 50mm	2-L4.01
1.9	CIP Concrete Curb Edge		Concrete Curb Edge to retain soil. 150 or 200 height. See L2.01.	6-L4.01
2.0	SITE WALLS / EMBANK	MENTS		
2.1	Cast in Place Concrete Entry Wall		Concrete wall. Refer to Arch.	See Arch.
3.0	SITE FURNISHINGS	I		
3.1	Standard Bike Rack, Capacity: 1		Urbanscape Serpentine Bike Rack (model BRK538S), suface mount. Supplier: Sudden Fun Recreation.	See Mfr.
3.2	Double Bike Rack, Capacity: 2		Urbanscape Serpentine Bike Rack (model BRK538S), suface mount. Supplier: Sudden Fun Recreation.	See Mfr.
3.3	Raised Bed Planter		SproutBox metal raised garden bed. Series: 17" Tall Modular 9 in 1 kit, 'V7' 5ft x 2ft configuration. Finish: Slate Grey - or approved equivalent. C/w engineered light weight growing medium. Foam voiding to limit soil depth to 400 depth max.	See Mfr.
3.4	Aluminium Planter		Aluminium Planter. Supplier: Green Theory Designs, or approved equivalent. C/w engineered light weight growing medium - refer to spec. Foam Voiding to limit soil depth to 900 depth max.	7-L4.02
3.5	Bollard	•	See Arch.	See Arch.
3.6	Dogwash Station	DW	Hose Bib c/w concrete pad and drain.	See Mech
4.0	RAILINGS, BARRIERS, F	ENCING		
4.1	Security Gate and Fence	0—0—0—	See Arch.	See Arch.
4.2	Screening		See Arch.	See Arch.
4.3	Cedar Fencing by Neighbour		Offset from property line for clarity. Protect and retain.	By Others
4.4	Existing Chain Link Fence	* × ×	Offset from property line for clarity. Protect and retain unless otherwise noted.	N/A
4.5	Root Barrier	—RB —RB —RI	Deep Root Tree Root Barrier (UB-24) or approved equivalent.	See Mfr.
5.0	PLANTING AND LANDSO	CAPE		
5.1	Shrub and Tree Planting Area - On Grade		Growing medium - refer to spec. 450mm depth unless otherwise noted. See Plan.	4-L4.02
5.2	Shrub and Tree Planting Area - On Slab		Growing medium - refer to spec. 450mm depth.	2-L4.02 3-L4.02
5.3	Lawn Area (Sod)		Sod over growing medium - refer to spec. 600mm depth or as permitted by Project Arborist within	5-L4.02



NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-1
11	Issued for BP Resub 2	2025-02-1
10	Issued for Tender	2024-09-1
9	IFT 99%	2024-09-1
8	BP Resubmission	2024-05-1
7	BP	2023-12-0
6	BP Draft/Coord.	2023-10-2
5	REZ / DP	2023-03-1
4	REZ / DP	2022-10-2
rev no	description	date





Victoria, BC 1039-1043 Meares St 1039-1043

Jawl Residential

3374 Tennyson Ave.


sheet title


Meares St

Victoria, BC

General Information Sheet

122.11 project no. 1: 100 @ 24"x36" scale drawn by SM/JD checked by revision no. sheet no. 12





NOTFORCONSTRUCTION

2	Issued for DDP	2025-02-18
1	Issued for BP Resub 2	2025-02-18
0	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
3	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
1	REZ / DP	2022-10-21
nο	description	date






Jawl Residential 3374 Tennyson Ave. Victoria, BC

1039-1043 Meares St 1039-1043

sheet title

Tree Removal, Retention & Replacement Plan

project no.		122.11
scale	1: 100	@ 24"x36"
drawn by		MDI
checked by		SM/JD
revision no.	sheet no.	
12	L(0.02



1.1	Concrete - Type 1		Cast in place concrete, broom finish with sawcut	
			joints.	3-L4.01
1.2	Concrete - Type 2		"New Town" paving. Landscape shows control joints, only - refer to civil.	See Civi
1.3	Unit Paving - On Grade		Belgard Canada, Classic Standard (225mm x 112.5mm x 60mm). Charcoal, running bond pattern.	1-L4.01
1.4	Turfstone		Belgard Canada, c/w structural soil base.	See Civil
1.5	Gravel Maintenance Edge			5-L4.01
1.6	Structural Soil Cells		Two layers deep. Contractor to provide Shop	7 4.01
1.7	Unit Paver on Pedestal - Type 1		610 mm x 610 mm x 20 mm porcelain tile. Supplier: Enmon North Amercia, or approved equivalent. Stack bond on pedestal. Colour: Project Silver	2-L4.01
1.8	Unit Paver on Pedestal - Type 2		Belgard Canada (ar approved equivalent) - 'Texada' in colo Natural Stack Bond on pedestal. 610mm x 610mm x 50mm	2 -L4.01
1.9	CIP Concrete Curb Edge		Concrete Curb Edge to retain soil. 150 or 200 height. See L2.01.	6-L4.01
2.0	SITE WALLS / EMBANKI	MENTS		
2.1	Cast in Place Concrete Entry Wall		Concrete wall. Refer to Arch.	See Arch
3.0	SITE FURNISHINGS			
3.1	Standard Bike Rack, Capacity: 1		Urbanscape Serpentine Bike Rack (model BRK538S), suface mount. Supplier: Sudden Fun Recreation.	See Mfr
3.2	Double Bike Rack, Capacity: 2		Urbanscape Serpentine Bike Rack (model BRK538S), suface mount. Supplier: Sudden Fun Recreation.	See Mfr
3.3	Raised Bed Planter		SproutBox metal raised garden bed. Series: 17" Tall Modular 9 in 1 kit, 'V7' 5ft x 2ft configuration. Finish: Slate Grey - or approved equivalent. C/w engineered light weight growing medium. Foam voiding to limit soil depth to 400 depth max.	See Mfr
3.4	Aluminium Planter		Aluminium Planter. Supplier: Green Theory Designs, or approved equivalent. C/w engineered light weight growing medium - refer to spec. Foam Voiding to limit soil depth to 900 depth max.	7-L4.02
3.5	Bollard	•	See Arch.	See Arch
3.6	Dogwash Station	DW	Hose Bib c/w concrete pad and drain.	See Mec
4.0	RAILINGS, BARRIERS, F	ENCING		
4.1	Security Gate and Fence	00	See Arch.	See Arch
4.2	Screening		See Arch.	See Arch
				By Others
4.3	Cedar Fencing by Neighbour		Offset from property line for clarity. Protect and retain.	_,
4.3	Cedar Fencing by Neighbour Existing Chain Link Fence	* × ×		N/A
		*	retain. Offset from property line for clarity. Protect and	N/A
4.4	Existing Chain Link Fence	—RB—RB—RI	retain. Offset from property line for clarity. Protect and retain unless otherwise noted. Deep Root Tree Root Barrier (UB-24) or approved	N/A
4.4	Existing Chain Link Fence Root Barrier	-RB-RB-RI	retain. Offset from property line for clarity. Protect and retain unless otherwise noted. Deep Root Tree Root Barrier (UB-24) or approved equivalent.	N/A See Mfr
4.4	Existing Chain Link Fence Root Barrier PLANTING AND LANDS Shrub and Tree Planting Area	-RB-RB-RI	retain. Offset from property line for clarity. Protect and retain unless otherwise noted. Deep Root Tree Root Barrier (UB-24) or approved equivalent. Growing medium - refer to spec. 450mm depth	

REFERENCE NOTES

- Refer to Architects drawings for parking lot details.
- Refer to Civil Eng. drawings for driveway crossing and sidewalk details.
- 3.0m sight triangle.
- Final structural soil cell design to be coorinated with underground services in this area. Depth of services to be verified prior to shop drawing production.
- Add section of chainlink fence to close gap between property line and security gate.
- Extend existing chainlink fene on property line to close off access to meet new security gate.



NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date






Jawl Residential 3374 Tennyson Ave. Victoria, BC

project 1039-1043 Meares St 1039-1043 Meares St Victoria, BC


sheet title Landscape Materials

project no.	122.11
scale	1: 100 @ 24"x36"
drawn by	MDI
checked by	SM/JD
revision no.	sheet no.
12	L1.01

MEARES STREET



1.1	Concrete Type 1		Cast in place concrete, broom finish with sawcut	
1.1	Concrete - Type 1		joints.	3-L4.01
1.2	Concrete - Type 2		"New Town" paving. Landscape shows control joints, only - refer to civil.	See Civ
1.3	Unit Paving - On Grade		Belgard Canada, Classic Standard (225mm x 112.5mm x 60mm). Charcoal, running bond pattern.	1-L4.01
1.4	Turfstone		Belgard Canada, c/w structural soil base.	See Civ
1.5	Gravel Maintenance Edge			5-L4.01
1.6	Structural Soil Cells		Two layers deep Gentractor to provide Shop brawings	7-L4.01
1.7	Unit Paver on Pedestal - Type 1		610 mm x 610 mm x 20 mm porcelain tile. Supplier: Enmon North Amercia, or approved equivalent. Stack bond on pedestal. Colour: Project Silver	2-L4.01
1.8	Unit Paver on Pedestal Type 2		Belgant Canada (Approved equivalent) - 'Taxada' in color Natural. Stack Bond on pedestal 6 10mm x 610mm x 50mm	24.01
1.9	CIP Concrete Curb Edge		Concrete Curb Edge to retain soil. 150 or 200 height. See L2.01.	6-L4.01
2.0	SITE WALLS / EMBANK	MENTS		
2.1	Cast in Place Concrete Entry Wall		Concrete wall. Refer to Arch.	See Arc
3.0	SITE FURNISHINGS			
3.1	Standard Bike Rack, Capacity: 1		Urbanscape Serpentine Bike Rack (model BRK538S), suface mount. Supplier: Sudden Fun Recreation.	See Mfi
3.2	Double Bike Rack, Capacity: 2		Urbanscape Serpentine Bike Rack (model BRK538S), suface mount. Supplier: Sudden Fun Recreation.	See Mfi
3.3	Raised Bed Planter		SproutBox metal raised garden bed. Series: 17" Tall Modular 9 in 1 kit, 'V7' 5ft x 2ft configuration. Finish: Slate Grey - or approved equivalent. C/w engineered light weight growing medium. Foam voiding to limit soil depth to 400 depth max.	See Mfi
3.4	Aluminium Planter		Aluminium Planter. Supplier: Green Theory Designs, or approved equivalent. C/w engineered light weight growing medium - refer to spec. Foam Voiding to limit soil depth to 900 depth max.	7-L4.02
3.5	Bollard	•	See Arch.	See Arc
3.6	Dogwash Station	DW	Hose Bib c/w concrete pad and drain.	See Med
4.0	RAILINGS, BARRIERS, F	ENCING		
4.1	Security Gate and Fence	0-0-0-	See Arch.	See Arc
4.2	Screening		See Arch.	See Arc
4.3	Cedar Fencing by Neighbour		Offset from property line for clarity. Protect and retain.	By Other
4.4	Existing Chain Link Fence	* * *	Offset from property line for clarity. Protect and retain unless otherwise noted.	N/A
4.5	Root Barrier	—RB —RB —RI	Deep Root Tree Root Barrier (UB-24) or approved equivalent.	See Mfi
5.0	PLANTING AND LANDS	CAPE		
5.1	Shrub and Tree Planting Area - On Grade		Growing medium - refer to spec. 450mm depth unless otherwise noted. See Plan.	4-L4.0
5.2	Shrub and Tree Planting Area -		Growing medium - refer to spec. 450mm depth.	2-L4.0
	On Slab	1//////		3-L4.0



NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date





client

Jawl Residential


3374 Tennyson Ave. Victoria, BC

1039-1043 Meares St 1039-1043 Meares St Victoria, BC

sheet title


Landscape Materials L2 & Roof

project no.	122.11
scale	1: 100 @ 24"x36"
drawn by	MDI
checked by	SM/JD
revision no.	sheet no.
12	L1.02



GRADING LEGEND

+ 20.15 Existing Landscape Grade



Architectural grade, provided for reference

Proposed Landscape Grade

TOW Top of Wall BP Bottom of Pool
BW Bottom of Wall TS Top of Stairs
TOC Top of Curb BS Bottom of Stairs

1. Refer to Architects DWG's for onsite grading.

BC Bottom of Curb
TP Top of Pool

DRAINAGE LEGEND

L-AD

Area drain by Mech. Refer to Mech Drawings


Inspection Chamber

6-L4.02

IRRIGATION LEGEND



Irrigation Point of Connection
Proposed Irrigation Point of Connection.
Provide water service and electrical conduit to this location. Refer to Mech & Elec Drawings.



Irrigation Sleeve
Schedule 40 PVC, dia. shall be min 3x main line

diameter, or 2x lateral line diameter. Install irrigation wiring in separate 2" electrical conduit. Extend sleeve 300 mm past edge of hard surface or walls.



Hose Bib See Mech.

NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date





2025-02-19

Jawl Residential 3374 Tennyson Ave. Victoria, BC

project 1039-1043 Meares St


1039-1043 Meares St Victoria, BC

sheet title

Landscape Grading and Drainage

12	L2.01
revision no.	sheet no.
checked by	SM/JD
drawn by	MDI
scale	1: 100 @ 24"x36"
project no.	122.11

MEARES STREET



GRADING LEGEND

+ 20.15 Existing Landscape Grade



Civil Grade, provided for reference only



Architectural grade, provided for reference



Proposed Landscape Grade

TOW Top of Wall BP Bottom of Pool
BW Bottom of Wall TS Top of Stairs
TOC Top of Curb BS Bottom of Stairs
BC Bottom of Curb HP High Point
TP Top of Pool LP Low Point

DRAINAGE LEGEND



Area drain by Mech. Refer to Mech Drawings




Inspection Chamber

6-L4.02

IRRIGATION LEGEND



Irrigation Point of Connection
Proposed Irrigation Point of Connection.
Provide water service and electrical conduit to this location. Refer to Mech & Elec Drawings.



Irrigation Sleeve
Schedule 40 PVC, dia. shall be min 3x main line diameter, or 2x lateral line diameter. Install irrigation wiring in separate 2" electrical conduit. Extend sleeve 300 mm past edge of hard surface or walls.



Hose Bib See Mech.

NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
ev no	description	date





client

Jawl Residential

3374 Tennyson Ave. Victoria, BC


project 1039-1043 Meares St 1039-1043 Meares St

sheet title

Victoria, BC

Landscape Grading and Drainage L2 & Roof


12	L2.02
revision no.	sheet no.
checked by	SM/JD
drawn by	MDI
scale	1: 100 @ 24"x36"
project no.	122.11





Hybrid Yew


#10 pot, 5' high



NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date





Jawl Residential 3374 Tennyson Ave. Victoria, BC


project 1039-1043 Meares St


1039-1043 Meares St Victoria, BC

sheet title

Planting Plan

project no.		122.11
scale	1:100	@ 24"x36"
drawn by		MDI
checked by		SM/JD
revision no.	sheet no.	
12	L3	3.01






NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date





Jawl Residential
3374 Tennyson Ave.
Victoria, BC


project 1039-1043 Meares St


1039-1043 Meares St Victoria, BC


sheet title

Planting Plan - L2 & Roof

project no.	122.11
scale	1:100 @ 24"x36"
drawn by	MDI
checked by	SM/JD
revision no.	sheet no.
12	L3.02










Concrete Unit Paving on Grade
Scale: 1:10

2 Concrete Unit Paving on Pedestal
Scale: 1:10

3 CIP Concrete Paving on Grade Scale: 1:10








GENERAL NOTES

1. All CIP concrete to be 32 Mpa, Class C-2.
2. All rebar to have 50mm cover min., all edges.

6 CIP Concrete Curb Edge
Scale: 1:10





GENERAL NOTES:

1. Contractor to provide Shop Drawings from manufacturer showing all materials and layout.

project no. 122.11
scale 1: 100 @ 24"x36"
drawn by MDI
checked by SM/JD
revision no. sheet no.

L4.01

7 Structural Tree Cells
Scale: 1:25



12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date





Jawl Residential
3374 Tennyson Ave.


Victoria, BC

project 1039-1043 Meares St


1039-1043 Meares St Victoria, BC

sheet title

Landscape Details: Paving



1 Tree Planting Detail on Grade Scale: 1:25



1/2 Size at maturity
Or 400 min.

Shrub Size at maturity

Mulch

Adjacent landscape, condition varies


Max. 1:1 slope typical

Scarify subgrade


Subgrade/native topsoil


Shrub Planting Area on Grade
Scale: 1:25


Scale: 1:10



5 Lawn Area SOD








ON SLAB







Tree Planting in Boulevard Detail

Scale: 1:25

NOTFORCONSTRUCTION

12	Issued for DDP	2025-02-18
11	Issued for BP Resub 2	2025-02-18
10	Issued for Tender	2024-09-13
9	IFT 99%	2024-09-13
8	BP Resubmission	2024-05-16
7	BP	2023-12-01
6	BP Draft/Coord.	2023-10-24
5	REZ / DP	2023-03-15
4	REZ / DP	2022-10-21
rev no	description	date





Jawl Residential
3374 Tennyson Ave.

Victoria, BC

project 1039-1043 Meares St

1039-1043 Meares 3 1039-1043 Meares St

sheet title

Victoria, BC

Landscape Details: Planting & Planters

12	L	4.02
revision no.	sheet no.	
checked by		SM/JD
drawn by		MDI
scale	1: 100	@ 24"x36"
project no.		122.11