

Mike Geric Construction

Quebec & Montreal

Victoria, BC



Landscape Sheets		
Sheet No.	Sheet Title	
L0.00	Cover	
L0.01	General Information Sheet	
L1.01	Landscape Materials - Ground	
L1.02	Landscape Materials - Roof	
L1.03	Stormwater Management & Grading	
L1.04	Landscape Precedents	
L1.05	Landscape Materials - Sections	
L1.06	Landscape Materials - Sections	
L1.07	Soil Volumes	
L3.01	Planting Plan	
L3.02	Planting Plan	
L0.02	Tree Survey Plan	
L0.03	Tree Management Plan	
L4.01	Landscape Details	





2022-08-31

Mike Geric Construction 4520 West Saanich Rd Saanich, BC

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC

sheet title

Cover

project no.		121.23
scale	1: ###	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	0.00

GENERAL NOTES

- 1. Work performed shall comply with the following: a) These General Notes, and Construction Documents and Specifications; b) Canadian Landscape Standards, Current Edition (CLS-CE); and c) All applicable local, provincial, and federal codes, ordinances, and regulations.
- 2. Contractor shall be responsible for verifying all existing site conditions including location of all property lines, existing structures, utilities, and buried infrastructure. Verify all field conditions prior to commencing work.
- 3. Contractor is responsible for determining means and methods for construction. These drawings may indicate a limit of proposed improvements or limit of work for the delineation of expected extents of disturbance. Should limits of disturbance exceed boundaries defined in drawings, contractor shall contact Landscape Architect for resolution.
- 4. Contractor is responsible for repairing all work disturbed by construction outside of limit lines defined on drawings or through their means and methods to a condition better than or equal to the existing conditions prior to commencement of construction at no additional cost to the owner.
- 5. Contractor is responsible for maintaining a complete up-to-date set of drawings and specifications at the construction site and ensuring the documents are readily available for review by the Landscape Architect and governing agency.
- 6. Contractor is responsible for coordination of all designs, drawings, specifications and other documents or publications upon which construction is based. Any discrepencies with the drawings and/or specifications and site conditions shall be brought to the attention of the Landscape Architect, prior to
- 7. The drawings and specifications are complementary to one another and implied to correspond with one another. Any discrepencies should be brought to the attention of the Landscape Architect for resolution immediately.
- 8. General Contractor and/or sub-contractors are responsible for all costs related to production and submission to consultant of all landscape as-built information including irrigation.

TREE RETENTION AND REMOVAL NOTES

- 1. Tree protection fencing, for existing trees, to be installed prior to commencement of all site work. Refer to Arborist's plans for location of tree protection fencing, and protection fencing detail.
- 2. Refer to arborist's report for detailed information for existing tree resources.

SITE GRADING AND DRAINAGE NOTES

1. All elevations are in meters.

- 2. Refer to Architectural plans, sections and elevations for top of slab elevations. Slab elevations indicated on Landscape drawings are for reference only. Report any discrepancies to consultant for
- 3. All road, public walkway and vehicular drive aisles and parking area elevations indicated on the Landscape drawings are for reference only. Refer to Civil Engineering drawings. Report any discrepancies to consultant for review and response.
- 4. Confirm all existing grades prior to contruction. Report any discrepancies to consultant for review and
- Unless otherwise noted provide a minimum slope of 2% on all hard and soft Landscape areas to ensure positive drainage away from buildings, to rain gardens, or to drainage devices.
- 6. All landscape areas shall not exceed a maximum slope of 3:1 in all instances.
- 7. Upon discovery, contractor to refrain from blasting rock to meet landscape subgrades. Contractor to
- contact Landscape Architect on how to proceed in each instance.

- 1. Contractor to provide irrigation system for all planters to current IIABC Standards and Contract
- 2. All specified work to meet the project specifications, and all standards or specifications established in the lastest edition of the Canadian Landscape Standard and IIABC standards.
- 3. Design/build drawings for detailed irrigation plan to be submitted to Contract Administrator in PDF and .dwg formats at least two weeks prior to commencement of irrigation installation
- 4. Utilties Contractor to verify location of all on-site utilities, prior to construction. Restoration of damaged utilities shall be made at the contractor's expense, to the satisfaction of the owner's representatives.

5. Refer to electrical drawings for electrical service.

- Controller and backflow prevention device to be located in Mechanical Room, unless otherwise noted. Refer to Mechanical drawings for size and location of irrigation service.
- Contractor to verify pressure and flow prior to installation of irrigation and notify owner's representative in writing if such data adversely affects the operation of the system.
- 8. Sleeves shall be installed at the necessary depths, prior to pavement construction. Sleeving shall extend 300 mm from edge of paving into planting area, and shall have ends marked above grade unless otherwise shown.
- Contractor to field fit irrigation system around existing trees, to limit disturbance to root systems. 10. At various milestones during construction, inspection and testing of components will be required to ensure that the performance of irrigation system meets standards and specifications. Contractor to
- accessible until successful completeition of inspection or test. 11. Over spray onto hardscape areas to be minimized. Use drip irrigation within small planting areas to

inspections and tests in the presence of the contract administrator. Keep work uncovered and

provide equipment and personnel necessary for performance of inspections and tests. Conduct all

- avoid overspray. 12. Trees within shrub or rain garden areas to be irrigated with spray heads.
- 13. Trees in Plaza in hard pavement (soil cells below) to recieve temporary irrigation system around root collar and permanent drip irrigation system
- 14. Irrigation design shall be submitted for review and approval to City of Victoria Parks no less than 30 days prior to scheduled installation.
- 15. Irrigation Inspections: required for all sleeving, open trench mainline and lateral lines, system operation, controller, backflow preventer (incl. inspection tag and testing report). Call CoV Parks 250-361-0600 min. 2 days in advance to arrange for irrigation inspections.

GROWING MEDIUM NOTES

- 1. Refer to Landscape Specifications for growing medium properties by soil type.
- 2. Advise Contract Administrator of sources of growing medium to be utilized 14 days in advance of
- Growing medium properties and handling shall meet CLS-CE (see Section 6 CLS-CE). Contractor is responsible for soil analysis and amendment requirements to supply suitable growing
- medium, as specified by testing agency. Soil analysis and amendment costs shall be included in the price for the work.
- 5. Submit to the Landscape Architect a copy of the soil analysis report from Pacific Soil Analysis Inc. 5-11720 Voyageur Way, Richmond, BC, V6X 3G9. p. 604- 273-8226. The analysis shall be of tests done on the proposed growing medium from stratified samples taken from the supply source. Costs of the initial and all subsequent tests to ensure compliance with the specifications shall be borne by the Contractor.
- 6. Contract Administrator will collect sample of growing medium in place and determine acceptance of material, depth of growing medium and finish grading. Approval of growing medium material subject to soil testing and analysis. Planting is not to occur until finished grades have been approved by Contract Administrator.

SITE LAYOUT NOTES

- 1. Provide layout of all work for approval by Contract Administrator prior to proceeding with work. Requests for site review as required 48 hours in advance of performing any work, unless otherwise
- 2. Layout and verify dimensions prior to construction. Bring discrepancies to the attention of the Contract

acclimatization of plants for their planted location.

- 3. Written dimensions take precedence over scale. Do not scale drawings. 4. All plan dimensions in metres and all detail dimensions in millimetres, unless otherwise noted.
- 5. Where dimensions are called as 'equal' or 'eq', space referenced items equally, measured to centre

GENERAL PLANTING NOTES

- 1. Plant quantities on Plans shall take precedence over plant list quantities.
- 2. Provide layout of all work for approval by Contract Administrator prior to proceeding with work. 3. Plant material, installation and maintenance to conform to the current edition of the Canadian Landscape Standard.
- 4. Plant quantities and species may change between issuance of DP and Construction due to plant availability and design changes
- 5. Landscape installation to carry a 1 year warranty from date of acceptance. This warranty is based on adequate maintenance by the Owner after Acceptance. The Contractor will not be responsible for plant loss due to extreme climatic conditions such as abnormal freezing temperatures or hail which occur after Acceptance. The Contractor shall be responsible for plant loss due to inadequate

ON-SLAB TREE PLANTING NOTES

- 1. For on-slab landscape, a root barrier will be installed to protect exposed water proof membranes. A dimple board (drain mat) will be installed over the root barrier.
- 2. Parkade walls and foundation walls will be protected with a dimple board (drain mat) to convey water
- to the perimeter drain and protect wall from roots.
- 3. A root barrier will be installed between the tree roots and perimeter drain, to minimize tree root interference with the drain, where the follow conditions exist in on-grade planting areas: a)where trees less than 8m tall are located closer than 2m from a parkade or foundation wall; b) where trees more than 8m tall are located closer than 3m from a parkade or foundation wall; and c) where perimeter drains are less than 2m deep.

BOULEVARD PLANTING NOTES

- 1. Boulevard trees have been placed to avoid existing and proposed infrastructure. Trees planted within 1m of an existing underground municipal service will have a root barrier installed between the root ball and the existing infrastructure.
- 2. Boulevard trees will be place a minimum of 1.5m from an above ground municipal service such as fire hydrant, streetlight or driveway.
- 3. Boulevard tree species have been picked from the municipality's list of recommended boulevard trees or have been selected due their site-adapted qualities. Final selection of boulevard trees to be determined through consultation with municipal parks staff.
- 4. Irrigation to be installed as per Municipal Specifications, for all boulevard planting areas (unless otherwise indicated).
- 5. Design/build drawings for boulevard irrigation to be submitted to Contract Administrator in PDF and .dwg formats, at least two weeks prior to commencement of irrigation installation and will be reviewed
- 6. Refer to Civil drawings for location of boulevard irrigation point of connection. Separate water meter and timer/controller, to be provided at point of connection. Timer/controller for boulevard areas must be readily accessible to municipal staff.
- Boulevard irrigation to be inspected as per municipal specification by municipal staff. Boulevard tree irrigation system will be maintained and operated by municipality, after it is inspected and approved by
- 8. Soil volume for boulevard trees to be as follows: 8 cu. m. for small trees, 12 cu. m. for medium trees, and 16 cu. m. for large trees.

LIST OF ABBREVIATIONS

		M	METRE
ADDDOV	ADDDOVIMATE	MAX	MAXIMUM
APPROX	APPROXIMATE	MH	MANHOLE
ARCH	ARCHITECT	MIN	MINIMUM
AVG	AVERAGE	MISC	MISCELLANEOUS
B&B	BALLED AND BURLAPPED	MM	MILLIMETRE
BC	BOTTOM OF CURB	N	NORTH
BLDG	BUILDING		
ВМ	BENCHMARK	NIC	NOT IN CONTRACT
BC	BOTTOM OF CURB	NO	NUMBER
BR	BOTTOM OF RAMP	NOM	NOMINAL
		NTS	NOT TO SCALE
BS	BOTTOM OF STEP	OC	ON CENTER
BW	BOTTOM OF WALL	OD	OUTSIDE DIAMETER
CAL	CALIPER	PC	POINT OF CURVATURE
CB	CATCH BASIN	PE	POLYURETHANE
CF	CUBIC FEET	PI	POINT OF INTERSECTION
CIP	CAST IN PLACE	PL	PROPERTY LINE
CL	CENTER LINE		
CLR	CLEARANCE	PT	POINT, POINT OF TANGENCY
CM	CENTIMETER	PVC	POLYVINYL CHLORIDE
CO	CLEAN OUT	QTY	QUANTITY
CONT		R	RADIUS
	CONTINUOUS	REF	REFERENCE
CU M	CUBIC METRE	REINF	REINFORCE(D)
DEG	DEGREE	REQ'D	REQUIRE(D) ´
DEMO	DEMOLISH, DEMOLITION	REV	REVISION
DIA	DIAMETER	ROW	RIGHT OF WAY
DIM	DIMENSION	S	SOUTH
DTL	DETAIL		
DWG	DRAWING	SAN	SANITARY
E	EAST	SD	STORM DRAIN
EA	EACH	SF	SQUARE FOOT (FEET)
EL	ELEVATION	SHT	SHEET
		SIM	SIMILAR
ENG	ENGINEER	SPECS	SPECIFICATIONS
EQ	EQUAL	SQ M	SQUARE METRE
EST	ESTIMATE	ST	STORM SEWER
E.W.	EACH WAY	STA	STATION
EXIST	EXISTING	STD	STANDARD
EXP	EXPANSION, EXPOSED	SYM	SYMMETRICAL
FFE	FINISHED FLOOR ELEVATION		TOP AND BOTTOM
FG	FINISHED GRADE	T&B	
FL	FLOW LINE	TC 	TOP OF CURB
FOC	FACE OF CURB	TF	TOP OF FOOTING
FT	FOOT (FEET)	TH	THICK
		TOPO	TOPOGRAPHY
FTG	FOOTING	TR	TOP OF RAMP
GA	GAUGE	TS	TOP OF STEP
GEN	GENERAL	TW	TOP OF WALL
GR	GRADE ELEVATION	TYP	TYPICAL
HORIZ	HORIZONTAL	VAR	VARIES
HP	HIGH POINT		
HT	HEIGHT	VOL	VOLUME
ID	INSIDE DIAMETER	W	WITH
INV	INVERT ELEVATION	W/O	WITHOUT
		WT	WEIGHT
IN	INCH(ES)	WL	WATER LEVEL
INCL	INCLUDE(D)	\ \ \\ \ \	MELDED MIDE EDAME

DRAWING NOTES

LINEAR FEET

LOW POINT

INCL

۱F

LP

1. DO NOT SCALE DRAWING: Verify all property lines and existing structures/vegetation to remain, prior to commencing work.

WWF

YD

WELDED WIRE FRAME

YARD

- 2. All plan dimensions in metres and all detail dimensions in millimetres. 3. Plant quantities on Plans shall take precedence over plant list
- 4. Contractor to confirm location and elevation of all existing services and utilities prior to start of construction.
- 5. Provide layout of all work for approval by Landscape Architect prior to proceeding with work.
- 6. Contractor to provide irrigation system for all planters to current IIABC Standards and Contract Specifications. Boulevard irrigation system to meet City of Victoria Supplementary Specification for Street Trees and Irrigation Bylaw.
- 7. Landscape installation to carry a 1 year warranty from date of
- 8. Plant material, installation and maintenance to conform to the current edition of the Canadian Landscape Standard.
- 9. General Contractor and/or sub-contractors are responsible for all costs related to production and submission to consultant of all landscape
- as-built information including irrigation. 10. Tree protection fencing, for existing trees, to be installed prior to commencement of all site work

MATERIALS LEGEND

HARDSCAPE $\langle 1.0 \rangle$



CIP Concrete Light Broom Finish with Tooled Control

Joints. **CIP Concrete** Light Broom Radial Concrete Control

> Joints Standard Paver 8x8 tile pattern, colour Natural

Standard Paver

8x8 tile pattern, colour Charcoal

'Texada' Hydrapressed Slabs. 457 mm x 457 mm x40 mm. Charcoal colour. Square Grid. Supplier: Abbotsford Concrete. Nonpermeable.

HARDSCAPE: CITY STANDARDS

See 'Downtown Public Realm Plan & StreetScape Standards', Section 5.1.1 Inner Harbour, for details.

Trowel Joint Concrete. See L4.01 For Pattern Details

Granite Pavers

@ 300mm x 100mm x 80mm. Mortar set. Paving field. Grey granite Flamed Finish. Nonpermeable.

1.9

Grey Basalt Entry Band Sandblasted Street name insert. 450mm width, Font Tisa Bro Bold -All caps, Finish Flamed

Solider Course Border 200mm

1.10 **Granite Pavers**

> Granite Pavers DAYCARE Design TBD by imput from Daycare provider

Sand



Safety Surfacing

 $\langle 3.0 \rangle$ WALLS

Concrete Retaining Wall - On Grade

Concrete Bench

Concrete Flush Curb - See Civil.

FURNISHINGS



Fire pit

4.3

Trash Bin

Benches

Shed. See Architecture

FENCES AND BARRIERS

1800mm Wood Fence

See Arch and Electrical

Picket Fence

LANDSCAPE MATERIAL

Shrub Area Rain Garden (See Dwg 1

LINE TYPE LEGEND

Property line Extent of Parkade, below Pedestrian Sightline

L1.03 & 4.01)

UNDERGROUND UTILITIES

(Shown for reference only - refer to Civil Engineer's drawings).

Civil Typical Inlet Drain

GRADING LEGEND Existing Landscape Grade



Architectural grade, provided for reference only

Civil Grade, provided for reference only

Proposed Landscape Grade TOW Top of Wall BW Bottom of Wall TS Top of Stairs TOC Top of Curb BS Bottom of Stairs BC Bottom of Curb HP High Point TP Top of Pool LP Low Point

IRRIGATION LEGEND




Irrigation Point of Connection Proposed Irrigation Point of Connection. Provide water service and electrical service from irrigation controller to valves.

— Irr SI — Irr SI —

Irrigation Sleeve Schedule 40 PVC, dia. shall be min 3x main line diameter, or 2x lateral line diameter. Install irrigation wiring in separate 2" electrical conduit. Extend sleeve 300 mm past edge of hard surface or walls.

LANDSCAPE DRAINAGE LEGEND



Trench Drain


DRAINS BY OTHERS





Mechanical Drains (For reference only)

Aco K100 Trench Drain, Load Class 'A'.



REV RZ/DP 2022-08-31 For Information 2022-06-27 REV RZ/DP 2022-04-14 3 DP 2021-12-16 2 Issued for Dev. Tracker 2021-10-19 date description rev no



2022-08-31

4520 West Saanich Rd Saanich, BC

QUEBEC & MONTREAL DEV.


501-502 MONTREAL ST.

Mike Geric Construction

VICTORIA, BC sheet title

General Information Sheet

project no.		121.23
scale	NA	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
<u></u> 5		0.01







Issued for Dev. Tracker 2021-10-19

REV RZ/DP

description

3

2022-04-14

2021-12-16

2022-08-31


Mike Geric Construction 4520 West Saanich Rd Saanich, BC

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST.

sheet title

Landscape **Materials - Ground**

project no.		121.23
scale	1:150	@ 24"x3
drawn by		MD
checked by		SN
revison no.	sheet no.	
5		.1.01







2022-08-31

Mike Geric Construction 4520 West Saanich Rd Saanich, BC

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC


sheet title

Landscape Materials - Roof

project no.		121.23
scale	1:150	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5		1.02



LEGEND



RAIN WATER MANAGEMENT NOTES


Water collected from road areas, building roofs, flow to the rain gardens located throughout the site.

Rain gardens are integrated building landscapes and landscape bulges within streetscape areas and are designed to capture, slow flows, and treat runoff from roadways.

Rain gardens will be designed with underdrains and a high-capacity overflow drain that will be connected to the onsite piped drainage system.

The rain gardens are sized such that the bottom of the rain garden is 5% of the impervious area to meet or exceed City of Victoria Green Stormwater Infrastructure Guidelines.

Boulevard rain gardens to be designed to City of Victoria Standards



RAIN GARDEN MATERIALS


- Overflow drain, 200 mm domed grate + adapter
- 2. Composted mulch, 50 -70 mm depth
- 3. Bio-retention growing medium, 450 mm depth
- 4. Scarified/tilled subgrade, 300 mm depth5. Existing subgrade/native material
- 6. 100 mm diameter (min) perforated pipe

7. 25 mm diameter drain rock, 100 mm depth



GRADING NOTES

- 1. All grades slope 2% from the building to back of curb.
- 2. Slab grade varies
- 3. All landscape walls are an average of 500mm height.
- 4. Kingston St Townhouses require 3-4 risers to meet grade.
- 5. Proposed curb grades to be determined by Civil (proposed grades will be similar to existing grades. See Civil for details)
- 6. All sidewalk slope 2% to back of curb.





1 Issued for Dev. Tracker 2021-10-19

2021-12-16

Mike Geric Construction 4520 West Saanich Rd

Saanich, BC


project
QUEBEC & MONTREAL

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC


sheet title

Stormwater Management & Grading

project no.		121.23
scale	1: ###	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	1.03




















ROOFTOP COMMON SPACE





DAYCARE - PLAY











Mike Geric Construction 4520 West Saanich Rd Saanich, BC

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC


sheet title

Landscape Precedents

project no.		121.23
scale	N/A	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5		1.04



Montreal St.
See Civil.



REV RZ/DP	2022-08-31
For Information	2022-06-27
REV RZ/DP	2022-04-14
DP	2021-12-16
Issued for Dev. Tracker	2021-10-19
description	date
	For Information REV RZ/DP DP Issued for Dev. Tracker




2022-08-31


Mike Geric Construction 4520 West Saanich Rd Saanich, BC

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC


Landscape Materials - Sections

project no.		121.23
scale	1:50	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	1.05











2022-08-31

Mike Geric Construction 4520 West Saanich Rd Saanich, BC


oject

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC

sheet title

Landscape Materials - Sections

project no.		121.23
scale	1:50	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	1.06



LEGEND

Rain Garden over Slab 600mm

Rain Garden on Grade w. Boulevard 600mm avg (or as specified on plan)

Planter over Slab or Raised Planter - 600mm

Tree soil on Grade - 600m

NOTES

- 1. Small Tree: min 6-8 cubic metres of soil
- . Medium Tree: min 15-20 cubic metres of soil
- Large Tree: 30-35 cubic metres of soil



5	REV RZ/DP	2022-08-31
4	For Information	2022-06-27
3	REV RZ/DP	2022-04-14
2	DP	2021-12-16
1	Issued for Dev. Tracker	2021-10-19
v no	description	date



2022-08-31

Mike Geric Construction 4520 West Saanich Rd Saanich, BC


QUEBEC & MONTREAL DEV.

501-502 MONTREAL ST. VICTORIA, BC

sheet title

Soil Volumes

project no.		121.23
scale	1:150	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	1.07



<u>PLANT</u>	<u>LIST</u>			
Sym TREES	Qty :	Botanical Name	Common Name	Schd. Size / Plant Spacing
Acc	7	Acer circinatum	Vine Maple	2.4 m ht, 1.5 width
Arr	5	Acer rubrum 'Red Sunset'	Red Sunset Red Maple	6.0cm cal, b&b
Cj	7	Cercidiphyllum japonicum	Katsura Tree	6.0cm cal, b&b
COE	1	Cornus 'Eddie's White Wonder'	Flowering Dogwood	6.0cm cal, b&b
Cok	9	Cornus kousa 'Milky Way'	Milky Way Kousa Dogwood	5.0cm cal, b&b
LT-1	1	Liriodendron tulipifera	Tuliptree	6.0cm cal, b&b
NYS	2	Nyssa sylvatica ' Tupelo Tower'	Tupelo	6.0cm cal, b&b
Nysw	9	Nyssa sylvatica 'Wildfire'	Tupelo	6.0cm cal, b&b
PP	4	Parrotia persica	Persian Ironwood	2.4 m ht, 1.5 width
SHRUE	<u>ss:</u>			
·····	190	Athyrium filix-femina var. cyclosorum	Northwestern Lady Fern	#1 pot
\	90	Chamaecyparis pisifera 'Sungold'	False Cypress 'Sungold'	#2 pot
	49	Cornus sanguinea 'Midwinter Fire'	Midwinter Fire Dogwood	#1 pot
	74	Eupatorium cannabinum	Hemp Agrimony	Sp3
	443	Gaultheria shallon	Salal	#1 pot
	543	Liriope muscari	Lily turf	#1 pot
	275	Lonicera pileata	Privet Honeysuckle	#1 pot
	74	Miscanthus sinensis 'Adagio'	Adagio Maiden Grass	#1 pot
	66	Polystichum munitum	Sword Fern	#1 pot
	190	Taxus baccata 'Repandens'	English Weeping Yew	#1 pot
	138	Vaccinium ovatum 'Thunderbird'	Evergreen Huckleberry	#3 pot
	74	Verbena bonariensis	Purpletop Vervain	#1 pot
RAIN G	ARDEN	I PLANTERS STREET:		
~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	356	Juncus 'Carmen's Grey'	Soft Common Rush	Sp3
·	356	Carex obnupta	Slough Sedge	#1 pot
	71	Gaultheria shallon	Salal	Sp3
	71	Mahonia repens	Prostrate Oregon Grape	#1 pot
	43	Spiraea japonica 'Gold Mound'	Gold Mound Spiraea	#1 pot
EMERG	SENTS:			
	439	Carex obnupta	Slough Sedge	Sp3
	34	Cornus sanguinea 'Midwinter Fire'	Midwinter Fire Dogwood	#1 pot
	463	Juncus 'Carmen's Grey'	Soft Common Rush	Sp3
	439	Liriope muscari	Lily turf	#1 pot
<u>HEDGII</u>	NG/SCF	REENING:		
	45	Taxus baccata	English Yew	#5 pot

#### REFERENCE NOTES

30%> of planting scheme has been dedicated ecosystem services. Plants for pollinators are included, via the Pollinator and Allergy-Aware Gardening Guide. This site features native plants that are unique to the Southern Vancouver Island Bioregional zone. Food bearing plants are also added in addition to the guidelines. Additionally, rain garden plants provide stormwater management opportunities.



Mike Geric Construction 4520 West Saanich Rd Saanich, BC

roject

QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC

sheet title

Planting Plan

project no.		121.23
scale	1: ###	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	.3.01



PLAN [*]	T LIST			
Sym	Qty	Botanical Name	Common Name	Schd. Size / Plant Spacing
TREES	<u>S:</u>			
Acc	4	Acer circinatum	Vine Maple	2.4 m ht, 1.5 width
Ajv	5	Acer japonicum 'Vitifolium'	Japanese Maple	1.8 m height, specimen quality
Mr	2	Magnolia stellata 'Royal Star'	Royal Star Magnolia	1.2m b&b
SHRU	BS:			
· · · · · · · · · · · · · · · · · · ·	<b>≅</b> 24	Abelia x grandiflora 'Prostrata'	Prostrate White Abelia	#2 pot
<u>}</u>	32	Cistus x corbariensis	Rock Rose	#1 pot
Z	<u> </u>	Eriophyllum lanatum	Wooly Sunflower	#1 pot
	106	Hebe topiaria	Topiarist's hebe	#1 pot
	63	Lavandula angustifolia 'Hidcote'	Hidcote English Lavender	#1 pot
	106	Mahonia repens	Prostrate Oregon Grape	#1 pot
	16	Nepeta x faassenii	Catmint	Sp3
	16	Rosmarinus officinalis	Rosemary	0.6
	16	Salvia officinalis	Culinary Sage	#1 pot
	24	Vaccinium ovatum 'Thunderbird'	Evergreen Huckleberry	#3 pot
	0			
PEREI	NIALS:			
	7	Taxus baccata 'Repandens'	<b>English Weeping Yew</b>	#3 pot

#### REFERENCE NOTES

30%> of planting scheme has been dedicated ecosystem services. Plants for pollinators are included, via the Pollinator and Allergy-Aware Gardening Guide. This site features native plants that are unique to the Southern Vancouver Island Bioregional zone. Food bearing plants are also added in addition to the guidelines. Additionally, rain garden plants provide stormwater management opportunities.

REV RZ/DP For Information 2022-06-27 REV RZ/DP 2022-04-14 1 Issued for Dev. Tracker 2021-10-19



Mike Geric Construction 4520 West Saanich Rd Saanich, BC


QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC


sheet title

Planting Plan


project no.		121.23
scale	1: ###	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	.3.02

Residential planters. Planters to be planted and maintained by residents.





DEE TAC #	DDU (am)	CDZ	Species	Crown	Height
REE TAG #	DBH (cm)		Species	Spread (m)	(m)
9555	27	3	Betula papyrifera	8	9
24481	39	5	Prunus cerasifera	12	9
24482	38	5	Prunus cerasifera	7	9
9557	39	4	Betula pendula	10	11
9554	42	5	Aesculus carnea	12	9
Op1	105	12	Thuja plicata	10	14
Op2	35	4	Cedrus dreadar	9	18
Op3	35	4	Sequoiadendron giganteum	9	10
2556	34	4	Betula papyrifera	9	10
OTAL TREES	TO BE RET	AINED:	: 9		
OTAL TREES		AINED:	: 9		
		AINED:	: 9 Species	Crown Spread (m)	Height (m)
EMOVED TR	EES	AINED:			Height (m) 0
EMOVED TR	EES  DBH (cm)	AINED:	Species	Spread (m)	(m)
EMOVED TR REE TAG # 24460	DBH (cm) 35	AINED:	Species Sorbus intermedia	Spread (m)	<b>(m)</b> 0
EMOVED TR <b>REE TAG #</b> 24460  24480	DBH (cm) 35 3	AINED:	Species Sorbus intermedia Prunus sargentii	<b>Spread (m)</b> 9 1	(m) 0 3
EMOVED TR  REE TAG #  24460  24480  24479	DBH (cm) 35 3 53	AINED:	Species Sorbus intermedia Prunus sargentii Prunus cerasifera	<b>Spread (m)</b> 9 1 11	(m) 0 3 8
EMOVED TR  REE TAG #  24460  24480  24479  24478	DBH (cm) 35 3 53 44	AINED:	Species Sorbus intermedia Prunus sargentii Prunus cerasifera Prunus cerasifera Prunus cerasifera	<b>Spread (m)</b> 9 1 11 10	(m) 0 3 8 8
REE TAG # 24460 24480 24479 24478 24477	DBH (cm) 35 3 53 44 50	AINED:	Species Sorbus intermedia Prunus sargentii Prunus cerasifera Prunus cerasifera Prunus cerasifera Thuja plicata smaragd	9 1 11 10 9	(m) 0 3 8 8
REE TAG # 24460 24480 24479 24478 24477	DBH (cm) 35 3 53 44 50 35	AINED:	Species Sorbus intermedia Prunus sargentii Prunus cerasifera Prunus cerasifera Prunus cerasifera	9 1 11 10 9 3	(m) 0 3 8 8 8







2022-08-31
client
Mike Geric Construction


4520 West Saanich Rd Saanich, BC


QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC

sheet title

Tree Survey Plan


project no.		121.23
scale	1: 200	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
5	L	.0.02






TREE TAG#	DBH (cm)	CRZ	Species	Crown Spread (m)	Height (m)
9555	27	3	Betula papyrifera	8	9
24481	39	5	Prunus cerasifera	12	9
24482	38	5	Prunus cerasifera	7	9
9557	39	4	Betula pendula	10	11
9554	42	5	Aesculus carnea	12	9
Op1	105	12	Thuja plicata	10	14
Op2	35	4	Cedrus dreadar	9	18
Op3	35	4	Sequoiadendron giganteum	9	10
2556	34	4	Betula papyrifera	9	10
OTAL TREES		AINED	: 9		
KEIVIOVED IK	EES			Crown	Height
TREE TAG #	DBH (cm)		Species	Spread (m)	(m)
24460	35		Sorbus intermedia	9	0
24480	3		Prunus sargentii	1	3
24479	53		Prunus cerasifera	11	8
24478	44		Prunus cerasifera	10	8
24477	50		Prunus cerasifera	9	8
1	35		Thuja plicata smaragd	3	6
2	14		Thuja plicata smaragd	2	6
3	39		Pyrus sp.	5	4
4	44		llex aquifolium	4	6
OTAL TREES	TO BE REM	OVED:	9		
	•		ed from Arborist, 09/28/2021. F nditions and Arborist recomme		

**EXISTING TREE INVENTORY*** 







1 Issued for Dev. Tracker 2021-10-19



2022-08-31
client
Mike Geric Construction


4520 West Saanich Rd Saanich, BC


QUEBEC & MONTREAL DEV. 501-502 MONTREAL ST. VICTORIA, BC

sheet title

Tree Management Plan

project no.		121.23
	4: 000	
scale	1: 200	@ 24"x36"
drawn by		MDI
checked by		SM
revison no.	sheet no.	
		0.03





5 REV RZ/DP 2022-08-31
4 For Information 2022-06-27
3 REV RZ/DP 2022-04-14
2 DP 2021-12-16
1 Issued for Dev. Tracker 2021-10-19
rev no description date

Murdoch

de Greeff INC

Mike Geric Construction 4520 West Saanich Rd Saanich, BC

project
QUEBEC & MONTREAL DEV.
501-502 MONTREAL ST.

sheet title

VICTORIA, BC

Landscape Details

project no. 121.23

scale AS SHOWN @ 24"x36"

drawn by MDI

checked by SM

revison no. sheet no.

L4.01